

VU Research Portal

Acceleration sensing at the nano-g level

Boom, B.A.

2020

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Boom, B. A. (2020). *Acceleration sensing at the nano-g level: Development and characterisation of low-noise microseismometers for next generation gravitational wave detectors*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

1	Gravitational wave detectors	1
1.1	Gravitational waves	2
1.1.1	Aspects of general relativity	5
1.1.2	General relativity in weak fields	7
1.1.3	The dynamics of spacetime	9
1.1.4	Experimentalist view on gravitational waves	10
1.1.5	Gravitational waves as tidal forces	11
1.1.6	A detector on Earth	13
1.2	Interferometric gravitational wave detectors	14
1.2.1	Fabry-Pérot cavity response	14
1.2.2	Gravitational waves in a single Fabry-Pérot cavity	16
1.2.3	Michelson interferometer with Fabry-Pérot arms	18
1.2.4	Quantum noise limited interferometry	20
1.2.5	Classical noise sources	27
1.3	The importance of good sensitivity at low frequencies	36
1.3.1	Low-frequency sensitivity in Advanced LIGO	37
1.3.2	Large redshift observations	38
1.3.3	Source parameters	40
1.3.4	Multimessenger astronomy	41

1.4	Einstein Telescope	44
1.4.1	Baseline layout	44
1.4.2	Sensitivity target	46
1.4.3	Site selection	47
2	Inertial sensing and Newtonian noise	49
2.1	Inertial sensors	50
2.1.1	Mechanical sensing element	50
2.1.2	The force-balance principle	52
2.2	Mitigating Newtonian noise	55
2.2.1	Passive suppression	56
2.2.2	Active suppression	58
2.3	State of the art in seismic sensors	60
3	Miniaturised geometric anti-spring technology	63
3.1	Geometric anti-spring working principle	64
3.2	Novel MEMS seismometer overview	66
3.2.1	Spring compression mechanism	66
3.2.2	Electrothermal actuators	70
3.3	Suspension spring design	75
3.3.1	Bending equations for curved springs	76
3.3.2	Solving the boundary value problem	79
3.3.3	Choosing the spring parameters	81
3.3.4	Stiffness for different working points	85
3.3.5	Rigid body modes	87
3.4	Vertical sensing	93
3.4.1	Asymmetric anti-springs	94
3.4.2	Parasitic spring for compensating gravity	95
4	Noise in MEMS seismometers	101
4.1	Noise measurements	101
4.1.1	Vibration attenuator	102
4.1.2	Three-channel correlation	102

4.2	Mechanical noise sources	105
4.2.1	Brownian noise	106
4.2.2	Internal friction	108
4.3	Electronic noise sources	114
4.3.1	Capacitive front-end	114
4.3.2	Loop-architecture	118
4.3.3	Other electrical noise sources	123
4.4	Closed-loop system performance	124
4.4.1	Measurement setup at Heimansgroeve	124
4.4.2	Correlation results	126
4.5	Modelling the gaseous damping	129
4.5.1	Damping of a body in infinite rarefied gas	129
4.5.2	Squeezed-film damping	131
4.5.3	Agreement with quality factor measurements	133
4.5.4	Damping considerations of capacitor geometry	135
5	MEMS fabrication	137
5.1	Elementary fabrication sequence	137
5.1.1	Process overview	138
5.1.2	Mitigating overetching damage	141
5.1.3	Device singulation without dicing	145
5.2	Towards a more robust fabrication process	147
5.2.1	XeF ₂ substrate etch	149
5.2.2	Wafer bonding	152
5.3	Vacuum packaging	158
5.3.1	Single die packaging	158
5.3.2	Wafer-level vacuum packaging	159
6	Conclusion and outlook	163
6.1	Conclusion	163
6.2	Outlook	166

	Appendices	169
A.1	Curved spring out-of-plane stiffness	169
A.2	MEMS nominal parameters	171
A.3	Fabrication details	173
A.3.1	SOI wafer properties	173
A.3.2	Full fabrication sequence	174
A.4	Acronyms	180
	Bibliography	181
	Summary	191
	Samenvatting	195
	Acknowledgements	199